

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,475,641 B2
APPLICATION NO. : 10/616800
DATED : January 13, 2009
INVENTOR(S) : Jin

Page 1 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Drawing

Sheet 4, Please replace the current drawing of Figure 6 with the figure depicted below in which the "bracing ring 180A" has been labeled.




Fig. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,475,641 B2
APPLICATION NO. : 10/616800
DATED : January 13, 2009
INVENTOR(S) : Jin

Page 2 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1

Line 37, before “a pair” insert --consists of--

Column 5

Line 28, delete “a” after “of”

Column 7

Line 65, change “bold” to --hold--

Column 9

Line 44, change “104” to --104,--

Line 45, change “position” to --position,--

Column 10

Line 19, change “embodiment” to --embodiments--

Line 22, change “embodiment” to -- embodiments--

Column 11

Line 28, change “siderails” to --side rails--

Column 14

Lines 50, 51, and 64, change “FIG. 11” to --FIG. 5--

Line 60, before “the” insert --with--

Line 66, change “203” to --201--

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,475,641 B2
APPLICATION NO. : 10/616800
DATED : January 13, 2009
INVENTOR(S) : Jin

Page 3 of 3

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 15

Line 11, change “FIG. 11” to --FIG. 5--

Column 17

Line 38, change “the” to --disposed in the--

Column 20


Line 40, change “being” to --between--

Line 41, change “and” to --or--

Line 45, delete “is”

Signed and Sealed this

Twentieth Day of October, 2009



David J. Kappos
Director of the United States Patent and Trademark Office